

Global Distributor Technical Bulletin

Welcome to the 5th edition of our Technical Bulletin.

We want to keep you informed of the latest product updates, new options, Group news and any other information of interest to our Global Distributor Network.

Latest Product Updates & options

Download PDF

Latest product changes develope Change description	Application of the change	Market affected	Equipment in production affected
0 L	Y M	P U	S
Anti-fog light has been modified for a new one from PETERSON.	30/10/2020	All markets	TMNL: 316399, 316703-316704 HS: 316456, 316783-316784 TMSAS: 316610, 316794-316801 RRSA: 316702, 316788, 316804 TMUK: 316765-316766, 316835 Others: 316785, 316786, 316860, 316880, 316881, 316882, 316883
Olympus tailgate upgrading. A reduction of the width of the tailgate has been implemented. New tailgate width will be 40mm less, being 2490mm instead of 2530mm for OLYMPUS WIDE and 2190mm instead of 2230mm for OLYMPUS NARROW.	21/01/2021	CE markets	TM Belgium 317100-2; 317153-6 TMSAS 317060-62; 317131; 317134 ALWARK 316956-7 TMPL 317120-4; 317128-9 HS 317138-9; 317095-9 RRSA 317168-9; 317044; 317054;
New triangle toolbox has been documented for OL W and OL N, and supports for it have been designed. This development has been done according to NC0335 and will be included in the PL as a new option for all CE markets.	30/01/2021	CE markets	s 316884, 316885 and 31688

New foldable rave rail for Open back configurations according to DEW drawing 6223009. This development has been done according to NC0437 for TMB and it will be included in the PL as a new option for all CE markets	29/01/2021	CE markets	s 316884, 316885 y 316886	
New heated holders for OL W/N with lifter Terberg OmniTrade. This development has been done according to NC0444 and it will be included in the PL as a new option for all CE markets.	05/02/2021	CE markets	317090	
Olympus tailgate upgrading. A reduction of the width of the tailgate has been implemented. New tailgate width will be 40mm less, being 2490mm instead of 2530mm for OLYMPUS WIDE and 2190mm instead of 2230mm for OLYMPUS NARROW.	21/01/2021	CE markets	A part from the projects listed in the e-mail from January, the following ones will also be developed with the new tailgate: RRSA: 316998 TMSAS: 317109, 317110	
New kit of Olympus stickers has been created in Latvian language.	30/03/2021	Latvia	317198	
REMOVE THREADED BLOCKS FROM BINLIFT FRAMES for OL WIDE and OL NARROW. This modification has been done to solve the problems found by different clients (Terberg among them).	30/05/2021	CE markets	531	
REINFORCE LFT 1500 WEIGHING BELTS, because the existing reference were so weak and in some occasions they begin to crack.	16/04/2021	CE markets	1522	
OI	YMPUS	MINI		
New design for foldable rave rail for OLM (CE and NM) allowing the ID plate to be integrated.	11/01/2021	All markets	TMUK: 316880-316883	
Anti-fog light has been modified for a new one from PETERSON.	09/11/2020	All markets	HS: 316783-316786 TMSAS: 316835, 316894, 316965 RRSA: 316702, 316788, 316804, 316860 TMUK: 316765-316766, 316974, 316880-316883, 316960 RESITUL: 316961, 316963	
Update of the manual greasing system for OL MINI (without pump).	30/03/2021	CE markets	040	
BIN WASHER				
New design for the bin washer lifter to allow working with bins of 240L and containers of 1000L with the same subframe configuration. This improvement has been required by PDK-PHOE.DANMARK.	12/02/2021	CE markets	316836	

Option text	Date	Market affected	Available at
OLYMPUS, OLY	MPUS M	NI and B	INWASHER
New update of the Price List has been published.	21/12/2020	CE markets	Mail sent by Roberto
Price List Update	22/04/2021	CE markets	Mail sent by Roberto
	ORUS	S	
User book in English.	18/12/2020	CE markets	SIGMA

Latest updates in options			
Option text	Option code	Modification type	Market affected
O L	Y M	P U	S
Anti-slippery stickers. Anti-slippery paintstickers on top of the Olympus roof.	188020	New option	CE Markets
Overload detector: Truckweight 2 axles. Without lock out. Truckweight overload detector (pressure detector) with display in cab. Without lock out of compaction mechanism when maximum allowed weight is reached. ONLY for FBM and 2 axle chassis.	020030	Text updated including ONLY for 2 axles chassis.	CE Markets
Overload detector: Truckweight 2 axles. With lock out. Truckweight overload detector (pressure detector) with display in cab. With lock out of compaction mechanism when maximum allowed weight is reached. ONLY for FBM and 2 axle chassis.	020031	Text updated including ONLY for 2 axles chassis.	CE Markets
Overload detector: Truckweight 3 axles. Without lock out. Truckweight overload detector (pressure detector) with display in cab. Without lock out of compaction mechanism when maximum allowed weight is reached. ONLY for FBM and 3 axle chassis.	020040	New option	CE Markets
Overload detector: Truckweight 3 axles. With lock out. Truckweight overload detector (pressure detector) with display in cab. With lock out of compaction mechanism when maximum allowed weight is reached. ONLY for FBM and 3 axle chassis.	020041	New option	CE Markets

Frontal leachate outlet with hose + filter. Leachates outlet with hose in front of the body (right or left side) + filter. ONLY for FBU.	057090	New option.	CE Markets
Frontal leachate outlet with valve 2" and coupling STORZ + filter. Leachates outlet in front of the body (right side) + filter. Includes a 2" valve and coumpling STORZ.	057100	New option.	CE Markets
Frontal leachate outlet with valve and hose - 2" + filter. Leachates outlet with hose in front of the body (right or left side). Includes a 2" valve in addition to the hose.	057110	New option.	CE Markets
Metalic Mudguards. Metalic mudguards with black rubber protections. ONLY for FBM and 3-axle chassis.	132150	New option	CE M <mark>a</mark> rkets
Mounting of Terberg TGV bin lift. Installation of Terberg TGV lifter supplied by the customer. Includes the fitting kit for a Terberg TGV bin lift and 32pin connection.	034130	Text correction	CE Markets
Preparation for mounting of Terberg TGV. Preparation for the installation of Terberg TGV lifter supplied and mounted by the customer. Includes the fitting kit for a Terberg TGV bin lift and 32pin connection. NOT available for OL N.	034140	Text correction	CE Markets

Soundproofing. Soundproofing hopper. Soundproofing of the exterior of the hopper, with sound_absorbing special paint and lining of absorber material.	053020	New option	CE Markets
Triangle plastic toolbox - 70l Trianlge plastic toolbox 70l with lock and key mounted between rear axles.	078070	New option (NC0335)	CE Markets
Rubber in packer. Rubber in packer according to 6224002. NOT AVAILABLE with Industrial lifter or Extra Narrow version.	189020	New option (NC0391)	CE Markets
Sheet metal tailgate covers. Sheet metal tailgate covers instead of the standard made of plastic	130050	New option (NC0453)	CE Markets
Liquid collecting tank (Body) Tank to collect leachates from the body area, made in plastic with a capacity of 120 litres. Mounted under the body. Not available for OLYMPUS NARROW. Not available for OL13W or OL14W. ONLY for FBM.	056043	Option update. Plastic tank instead of aluminum.	CE Markets
Folding rave rail for OB (Open Back) configuration, DE style A folding rave rail for open back tailgates according DEW design (6223004), with some modifications to avoid interferences with footboards. ONLY valid with OB configuration. (Instead of fix rave rail). Not compatible with heated or anti slippery holders.	064090	New option (NC0437)	CE Markets
Intercom bidireccional Brigade 2-way communication intercoms with plexi-glass protection to avoid direct water splash on the speakers.	115040	New option (NC0463)	CE Markets
Weigh/ident. in lifter. With preinst. Weight/ident. Pre_installation of a PME weighing and identifying system in the comb of the lifter, for one container or two separate bins. Always together with options 167040 or 167050.	099020	New option	CE Markets
Preparation for mounting of Terberg EuroTrade_Sloped tailgate Preparation for the installation of Terberg EuroTrade lifter, supplied and mounted by the customer. Includes the fitting kit for a Terberg EuroTrade bin lift, control panels for collector and lifter, compaction cycle control panel, preparation for footboards (footboards supplied with the lifter). Road lights not included. Only compatible with OL W without HCT.	034210	Text correction: including sloped tailgate	CE Markets

F			
Mounting of Terberg EuroTrade bin lift_Sloped tailgate Installation of Terberg EuroTrade lifter, supplied by the customer. Includes the fitting kit for a Terberg EuroTrade bin lift, control panels for collector and lifter, compaction cycle control panel, preparation for footboards (footboards supplied with the lifter). Road lights not included. Only compatible with OL W without HCT.	034220	Text correction: including sloped tailgate	CE Markets
Preparation for mounting of Terberg EuroTrade_Straight tailgate Preparation for the installation of Terberg EuroTrade lifter, supplied and mounted by the customer. Includes the fitting kit for a Terberg EuroTrade bin lift, control panels for collector and lifter, preparation for footboards (footboards supplied with the lifter). Road lights not included. Only compatible with OL W without HCT.	034250	New option	CE Markets
Mounting of Terberg EuroTrade bin lift_Straight tailgate Installation of Terberg EuroTrade lifter, supplied by the customer. Includes the fitting kit for a Terberg EuroTrade bin lift, control panels for collector and lifter, preparation for footboards (footboards supplied with the lifter). Road lights not included. Only compatible with OL W without HCT.	034260	New option	CE Markets
Two front body lights for crane Two front body lights with the crane. Only with a crane between cab and body.	190030	New option (NC0441)	CE Markets
Hydraulic connections for lifter Hydraulic connections already installed for a future installation of a lifter in an open back configuration.	180020	New option	CE Markets
Independent drive for barrier light. Independent drive for option 112040.	112070	New option	CE Markets
OL17W(+) FBM (17,99m3)	012303	New capacity	CE Markets
OL17W(+) FBU (17,99m3)	012305	New capacity	CE Markets

Folding rave rail for OB (Open Back) configuration, DE style. A folding rave rail for open back tailgates according DEW design (6223004), with some modifications to avoid interferences with footboards. ONLY valid with OB configuration. (Instead of fix rave rail). Not compatible with heated or anti slippery holders. With vertical holders.	064090	TEXT MODIFIED (Included "With vertical holders")	CE Markets
Preparation for mounting of Terberg EuroTrade_Sloped tailgate. Preparation for the installation of Terberg EuroTrade lifter, supplied and mounted by the customer. Includes the fitting kit for a Terberg EuroTrade bin lift, control panels for collector and lifter, compaction cycle control panel, preparation for footboards (footboards supplied with the lifter). Road lights not included. Only compatible with OL W without HCT. Compatible with HCT in case of selecting this option together with a WINCH (Eurotrade WLS).	034210	TEXT MODIFIED (Included conditions for Terberg EuroTrade WLS)	CE Markets
Mounting of Terberg EuroTrade bin lift_Sloped tailgate. Installation of Terberg EuroTrade lifter, supplied by the customer. Includes the fitting kit for a Terberg EuroTrade bin lift, control panels for collector and lifter, compaction cycle control panel, preparation for footboards (footboards supplied with the lifter). Road lights not included. Only compatible with OL W without HCT. Compatible with HCT in case of selecting this option together with a WINCH (Eurotrade WLS).	034220	TEXT MODIFIED (Included conditions for Terberg EuroTrade WLS)	CE Markets

Bale clamp. With hydraulic installation. Installation of the hydraulics for a bale clamp. Only with Terberg Eurotrade lifter with HCT.	192020	New option	SCAN
Cable for winch. Cable of 7m and 14mm diameter for option 037030.	193020	New option	CE Markets
Remote control for winch	194020	New option	CE Markets
CNG Chassis adaptation. CNG chassis adaptation introducing a tray on the front of the body to avoid any leak of hydraulic oil fall down directly on the catalyzer, producing a fire.	014020	New option	CE Markets
Plastic toolbox - 110I - Frontal Plastic toolbox 110I with lock and key mounted under the body in the front part of the body. Solution specially designed for Mercedes Econic GNC chassis and ONLY available for them.	078080	New option	CE Markets
Additional video camera - reverse gear Additional camera activated when reverse gear is engaged. NOT COMPATIBLE with option 176020.	114110	TEXT MODIFIED (NOT COMPATIBLE with option 176020)	CE Markets

Fixe rave rail 1600mm for UPC Fix rave rail, 1600mm high (approx.) (Instead of 1400mm high standard folding rave rail). ONLY valid with UPC. Not compatible with OL ExN, satelites, undergroung tailgate adaptations or subframe 400mm for GNC chassis.	064100	New option (NC0467)	CE Markets
Pack on the move option. It allows to finish the packing cycle even if the vehicle starts to move, instead of stopping the mechanism when a gear is engaged. In case of closed system, all packing movements can be carried out. In case of open system, only movements with sweeper in the upper position can be carried out. PTO has to be able to work out of neutral position, otherwise it will not be able to finish the cycle with a gear engaged. PAY ATTENTION THAT: "Pack on the move" option has to be validated with the chassis specifications (engine torque) and its suitability has to be studied case by case. This checking is important for all types of chassis, but a special attention has to be paid for GNC chassis. Engine stall could happen depending on driver skills to start drive when also engine torque is requested from compactation, mainly when chassis engine torque is in the limit to support POM compactation AND start driving torque demand. CONDITIONS FOR POTM OPTION: NOT AVAILABLE with IVECO chassis. NOT AVAILABLE with manual gearbox. Continuous PTO preferred. In case PTO is not continuous, refer to NC0510.	052020	TEXT MODIFIED (Included conditions for this option)	CE Markets / Mercados CE

Pack on the move option.			
It allows to finish the packing cycle even if the vehicle starts to move, instead of stopping the mechanism when a gear is engaged. In case of closed system, all packing movements can be carried out. In case of open system, only movements with sweeper in the upper position can be carried out. PTO has to be able to work out of neutral position, otherwise it will not be able to finish the cycle with a gear engaged. PAY ATTENTION THAT: "Pack on the move" option has to be validated with the chassis specifications (engine torque) and its suitability has to be studied case by case. This checking is important for all types of chassis, but a special attention has to be paid for GNC chassis. Engine stall could happen depending on driver skills to start drive when also engine torque is requested from compactation, mainly when chassis engine torque is in the limit to support POM compactation AND start driving torque demand. CHOOSE THIS OPTION IF PACK ON THE MOVE GOES TOGETHER WITH ELECTROCLUTCH (022020 or 022030). CONDITIONS FOR POTM OPTION: NOT AVAILABLE with IVECO chassis. NOT AVAILABLE with manual gearbox. Continuous PTO preferred. In case PTO is not continuous, refer to NC0510.	052021	TEXT MODIFIED (Included conditions for this option)	CE Markets / Mercados CE
Road LED lights in the lifter. DIN frame without road lights and prepared for an auxiliary lifter with its own road lights. Available for configurations with Terberg OmniDEKA with integrated LED lights, in addition to the selected DIN frame. ONLY if Terberg lifter is ordered with "lower lights with load control option".	169020	TEXT MODIFIED (Included conditions for this option)	CE Markets / Mercados CE
Tailgate reinforcement 6mm - EURODUR 1000 Tailgate hopper constructed with 6mm thick floor Eurodur 1000 instead of standard 8mm Hardox 400. Available for OLW. Not available for OLN or HCT.	050040	TEXT MODIFIED (Included Eurodur type)	CE Markets / Mercados CE

Electromagnetic clutch. Electric magnetic clutch mounted between PTO and hydraulic pump. It allows to connect the pump from the PTO only when the collector needs power. In case power is not need, pump is disconnected from the PTO. Only with continuous PTO.	022020	TEXT MODIFIED (Deleted restriction for only FBM)	CE Markets / Mercados CE
OI	YMPUS	MINI	
Intercom VISION TECH. Communication system between the cabin and the rear part of the RCV. Intercom brand VISION TECH.	2115020	New option	CE Markets
Green Mode. "Green Mode", specially designed for paper transportation. The ejector plate is always in the frontal part of the body, therefore, there is no compression. Indicated for paper collection. There is a sensor in the ejector plate and packer mechanism is not working if ejector is not in front.	2104020	New option.	CE Markets
Detec eject front/GreenMode. Stop compact. eject front. Stop compaction if ejector is in front. There is a sensor in the ejector plate and when the ejector is in the front, the compaction mechanism stops, because the body is full.	2104030	New option.	CE Markets
NO Mudguards. With gum protections RR. Only gum protections RR, without mudguards. ONLY for FBU.	2132105	Option deleted	CE Markets
Sweeper/packer colour. Colour matte black. Painting the sweeper and packer in matte black.	2139040	New option	CE Markets

For further product information, please contact your local Sales Manager

Contact Commercial Team

NEW - Non-Conformance Report

You can now report any issue with a product delivered from the factory, before delivery to your customer, using our new non-conformance report form.



NOTE: This is not a Warranty Claim - Warranty starts after the product is registered.



Global Distributor Support Portal

Don't forget to register your product and get support on our GLOBAL DISTRIBUTOR SUPPORT PORTAL



Used Vehicles & Used Equipment for Sale

View all 14 vehicles



View Vehicle



ROTOlympus 205/20 Styling

View Vehicle



Olympus 21W with OmniDEKA

View Vehicle

Olympus 21W with CleanAir + OmniDEKA

View Vehicle





Olympus 20W with OmniMAX 2.5

View Vehicle



Olympus 25 Plus OmniDE-X

View Vehicle

Visit our Used Vehicles site

Thank you for being part of our Global Distribution Network



CONTACT US

Email: info@terbergrosroca.com

Phone: +44 (0)1926 458 500

Terberg RosRoca Group Limited, Heathcote Way, Heathcote Industrial Estate, Warwick, CV34 6TE, United Kingdom

You are receiving this email as a valued part of our global distributor network, we assume you have a legitimate interest in the business of Terberg RosRoca Group and that you wish to be kept informed of technical updates, product information, news and other developments.

If you no longer wish to receive information from us, please unsubscribe from our mailing list using the link below.

Sent to: _t.e.s.t_@example.com

Unsubscribe

Terberg RosRoca Group Limited, Heathcote Way, Heathcote Industrial Estate, Warwick, CV34 6TE, United Kingdom

Email Marketing by ActiveCampaign