



Global Distributor Technical Bulletin

Welcome to the 4th edition of our Technical Bulletin.

We want to keep you informed of the latest product updates, new options, Group news and any other information of interest to our Global Distributor Network.

Latest Product Updates & options

Download PDF

Change description	Application of the change	Market affected	Equipment in production affected
0 1	YW	P	JS
New rear discharging chute design according to NC0372.	15/06/2020	TMSAS	20-0065/66/67/+20-0071
New design of the hand holders with RAPTOR painting. This has been a market requirement from TMSAS and from no won all units Will have this design. Design without Raptor painting Will not be available in France.	30/06/2020	TMSAS	316595, 316598
Creation of a new design with two cameras MOTEC (side and rear view) + 10° screen in the cab, according to	30/07/2020	TMSAS	20-0065/66/67/+20-0071 20-0068/69/70/72/73 (316611 a 316616)
Modification of the light bridge for the screwed DIN door, according to NC0377. This modification will be included in the PL option 035050.	30/07/2020	TMSAS	316595
Creation of a blocking system for the footboards according to NC0379. This modification will be included in the PL option 185020.	30/06/2020	TMSAS	316635
Development of the pressure take-off system SYSTEM 20 (UCC) according to NC0337.	30/07/2020	TMSAS	BORDEAUX METROPOLE
Development of the identification system INDO UHF according to NC0394.	30/07/2020	TMSAS	BORDEAUX METROPOLE
Directional lights in the tailgate according to NC0396.	30/07/2020	TMSAS	BORDEAUX METROPOLE
A new support for crane has been created for specific project 316634.	30/07/2020	The Netherlands	316634
Creation of new leachates body outlet with valve STORZ according to NC0313. This modification will be included in the PL option 057080.	30/07/2020	HS	316623
Modification of the welded parts for fixed Din frames for OL Narrow and OL Wide. A new steel sheet with holes has been developed to improve the mounting Works, reducing mounting time and increasing safety for the operators.	30/10/2020	CE	-

Roof parts in the tailgate in ABS instead of aluminum.	30/10/2020	CE	316705,316706,316707,316708 y 316709
New cylinder for footboards when lifter is EUROTRADE & OMNITRADE to make it stronger.	09/09/2020	CE	316651-53, 316401-2, 316578, 316592-4
Standardization of the lateral door Ladder with the DEW product. For TMSAS the old model will be used until approvement of the new one.	10/09/2020	All markets except TMSAS	HS 316420-21, 316446, 316419 TMSAS 316579, 316607, 316595, 316570, 316636
Creation of support for shovel and broom for UGAP PARIS in the left side, only possible in the right side until now.	30/08/2020	TMSAS	From 316563 to 316565.
Design of the industrial tailgate with OL (+) . This configuration did not exist.	30/09/2020	CE market	64
Re-design of the underground Hopper for OL W and OL HCT to fulfill with the new homologation requirements. It has been necessary to change the hopper inclination from 50° to 44,5°.	16/10/2020	CE market	316626, 316627 and 316637
Creation of a new subframe according to NC0400. A new option has created for this subframe. This subframe is compatible with the existing weighing options in the Price List.	30/09/2020	ALWARK	
Update of the toolbox due to modification of the toolbox from our provider. Same support for both toolboxes. New toolboxes will be delivered as soon as the old ones stock will be run out.	30/10/2020	CE market	<u>:</u>

\$	3. 30	Ø	TMSAS:
			316611-316615; 316628-316633; 316635-316636; 316726-316729; 316821-316826
Unification of the control box in the cabin. New one Will be the same one as installed in Olympus MINI. Old configurations for Olympus (box pushbutton and radio K7) will disappear.			RRSA:
alsappear.			316640; 316656-316659; 316688; 316699; 316717; 316731-316732; 316832-316833
	20/00/2020	CE madest	RESITUL:
	30/09/2020	CE market	316668: 316679; 316693-316696
			HS:
O FRICING VIEW			316420-316421; 316430; 316446; 316573; 316623; 316771
00			HANES:
2.752			316720
1			TMNL:
1			316703-316704
			TMPL:
			316757-316758; 316762-316763;
			316772-316776; 316789-316791
			TMB: 316404-316407
and the same of th		S	
New design for a THROW IN FRAME - OPENBACK-OL. This frame allows to maintain the minimum distance between operator and equipment while working in a continuous cycle, according to NC0408.	02/11/2020	HS	316840
New design for hand holders in color RAL 3002 (red) according to NC0424.	13/11/2020	TMSAS	316874, 316875
New design for the LED rear rotating beacon with OL + DIN frame foldable to have the LED beacon in a lower position, according to NC0428 and will become the standard for HS.	30/10/2020	HS	2 FBM with order number 30506287

New design for the support of collectors with underground hopper with weighing system AE in the crane. This new support Will save the interference problems existing with the actual design.	26/10/2020	ТМВ	316404-316407
Anti-fog light has been modified for a new one from PETERSON.	30/10/2020	All markets	TMNL: 316399, 316703-316704 HS: 316456, 316783-316784 TMSAS: 316610, 316794-316801 RRSA: 316702, 316788, 316804 TMUK: 316765-316766, 316835 Others: 316785, 316786, 316860, 316880, 316881, 316882, 316883
New design for anti-slippery band in the roof of the Olympus according to NC0420.	15/11/2020	TMSAS	316893
OLYM	IPUS & C	LYMPUS	MINI
NEW UNIT OF FIRE EXTINGUISHER BOX AND CHANGE SUPPORTS with transparent window to see if the extinguisher is inside. This applies to 6Kg and 9Kg boxes. New boxes will substitute the ones used nowadays.	10/07/2020	All markets	TM Nederland 316399 TMSAS: 316508-35, 316563-65, 316570, 316578, 316580-94, 316607-10, 316626-27, 316636-37, 316660 OL MINI: 316483, 316624 y 316599
2	OLYMPI	US MINI	7/8
Creation of new holders with OLMINI, same finishing as per heated holders (raptor paint) as standard for non- heated holders. According NC0413.	25/09/2020	TMSAS	316764
New design for anti-slippery band in the roof of the Olympus according to NC0420.	15/11/2020	TMSAS	<mark>316</mark> 893

Development of supports to mount camera BACKEYE 360° in a bin washer, according to NC0384. Creation of supports for fire extinguishers of 6 kg and 9 kg for bin washers. New design for a bin washer 6000 l in nox 304 and hot water to be mounted on a CNG chassis according to NC0331. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. WHATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. Date Market affected Warket affected Available at UPC LIFT Review and update of the UPC book 2028020 TMSAS SICMA	New design of the CE plate indicating "WASTE COLLECTOR EQUIPMENT"	01/02/2021	TMSAS	-
Development of supports to mount camera BACKEYE 360° in a bin washer, according to NC0384. Creation of supports for fire extinguishers of 6 kg and 9 kg for bin mox 304 and hot water to be mounted on a CNG chassis according to NC0331. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. UPC LIFT Review and update of the UPC book Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. Spain 30/10/2020 CE market - WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks.	according to APAVE requirements.	o moderate i		
Creation of supports for fire extinguishers of 6 kg and 9 kg for bin inox 304 and hot water to be mounted on a CNG chassis according to NC0331. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for bin inox 304 and hot water to be mounted on a CNG chassis according to NC0331. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. UPC LIFT Review and update of the UPC book Review and update of the UPC book CE market - WATER TANKER CE market - Warket - Warket	9 SEC	BIN WA	SHER	2-16
extinguishers of 6 kg and 9 kg for bin washers. New design for a bin washer 6000 I in inox 304 and hot water to be mounted on a CNG chassis according to NC0331. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. Water tanks. Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. Date Market affected Warket affected Warket affected Available at UPC LIFT Review and update of the UPC book 2028030 TMSAS SIGMA	Development of supports to mount camera BACKEYE 360° in a bin washer, according to NC0384.	30/06/2020	All markets	1-
inox 304 and hot water to be mounted on a CNG chassis according to NC0331. WATER TANKER Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. Latest updates in technical-commercial documentation Option text Date Market affected Available at UPC LIFT Review and update of the UPC book 2029020 TMSAS SIGMA	extinguishers of 6 kg and 9 kg for bin washers.	30/10/2020	CE market	<u>.</u>
Creation of supports for fire extinguishers of 6 kg and 9 kg for water tanks. CE market - Latest updates in technical-commercial documentation Option text Date Market affected Available at UPC LIFT Review and update of the UPC book 2029020 TMSAS SIGMA	inox 304 and hot water to be mounted on a CNG chassis according to	30/11/2020	Spain	316887-316892
Latest updates in technical-commercial documentation Option text Date Market affected Available at UPC LIFT		WATER	TANKER	
Option text Date Market affected Available at UPC LIFT Review and update of the UPC book 2022020 TMSAS SIGMA	extinguishers of 6 kg and 9 kg for	30/10/2020	CE market	9
Review and update of the UPC book 2022020 TMSAS SIGMA			Market	Available at
		Date	Market affected	Available at
	Option text Review and update of the UPC book	Date UPC	Market affected	
	Option text Review and update of the UPC book	Date UPC	Market affected	
	Option text Review and update of the UPC book	Date UPC	Market affected	
	Option text Review and update of the UPC book	Date UPC	Market affected	
	Option text Review and update of the UPC book	Date UPC	Market affected	
	Option text Review and update of the UPC book	Date UPC	Market affected	
	Option text Review and update of the UPC book	Date UPC	Market affected	
	Option text Review and update of the UPC book	Date UPC	Market affected	

Latest updates in options (not yet updated in PL)					
Option text	Option code	Modification type	Market affected		
0 1	Y !	I P L	S		
Frontal leachate outlet with valve 2" and coupling STORZ. Leachates outlet in front of the body (right side). Includes a 2" valve and coumpling STORZ.	057080	New option (NC0313)	HS		
Footboard lock Blocking system to be added to a footboard to lock it when it is folded. ONLY available with UPC and lifters with DIN frame/door.	185020	New option (NC0379)	TMSAS		
DIN frame for auxiliary lifter - bolted DIN frame for auxiliary lifters bolted to the tailgate. Light bridge integrated and tailgate roof included. Lights bridge with optimized height. In case of choosing this option with OL NARROW and together with footboards, then option 088130 has to be also chosen.	035050	Reviewed option with new design of the light bridge (NC0377)	CE Markets / Mercados CE		
Mounting of Terberg OmniMax bin lift (OL NARROW) Installation of Terberg OmniMax lifter supplied by the customer. Includes the fitting kit for a Terberg OmniMax bin lift, 32pin connection, light bridge and roof. ONLY with OLYMPUS NARROW. Options 107040 is necessary if this option is choosen.	034241	New option	CE Markets / Mercados CE		
Mounting of Terberg OmniMax bin lift (OL WIDE). Installation of Terberg OmniMax lifter supplied by the customer. Includes the fitting kit for a Terberg OmniMax bin lift, 32pin connection, light bridge and roof. ONLY with OLYMPUS WIDE. Options 102020 and 107040 are necessary.	034120	Text updated	CE Markets / Mercados CE		

Subframe tubular. Continuous Under- frame along all body, tubular, 100mm H and wall thickness 8mm. Instead of standard subframe of 115mm.	015160	New option (NC0400)	Alwark
Heated tailgate hand holds. Tailgate heated hand holds on the tailgate, 2 pairs, one on the right side and one on the left, connected to an external thermostat, to ensure operators in the footboards have warm hands in winter months. Not available with Terberg OmniMax, EuroMax or EuroTrade or with option 064060 folding rave rail 1600mm for UPC.	151030	Text updated including incompatibility with option 064060.	CE Markets
Additional video camera - reverse gear. Additional camera activated when reverse gear is engaged.	114110	Code correction	CE Markets
Special hopper for underground containers and preparation for a crane between cab and body. OLW. RCV prepared for the mounting of a	013021	Text updated	
crane between cab and body. Crane supply and installation not included. Extra hopper mounted to the tailgate to recieve the containers, bottom opening versions.		including foldable rave rail (already included in the option, but	CE Markets
Includes continuous subframe, low platform, foldable rave rail and hopper reinforcement. OPTION for Olympus WIDE without HCT. Not compatible with UPC lifter.		not in the description).	

Special hopper for underground containers and preparation for a crane between cab and body. OLW HCT.	013041		
RCV prepared for the mounting of a crane between cab and body. Crane supply and installation not included.		Text updated including foldable rave	
Extra hopper mounted to the tailgate to recieve the containers, bottom opening versions.		rail (already included in the option, but not in the	CE Markets
Includes continuous subframe, low platform, foldable rave rail and hopper reinforcement.		description).	
OPTION for Olympus WIDE with HCT. Compatible with UPC lifter. ONLY for FBM.			
Special hopper for underground containers and preparation for a body mounted crane. OLW.			
RCV prepared for the mounting of a crane on the top of the body. Available for cranes Palfinger EPSILON C70G, HIAB 3600, Vkran V3 or ECO 806.		Text updated including foldable rave	
Crane supply and installation not included.	013060	rail (already included in	CE Markets
Extra hopper mounted to the tailgate to recieve the containers, bottom opening versions.		the option, but not in the description).	
Includes continuous subframe, low platform, foldable rave rail and hopper reinforcement			
OPTION for Olympus WIDE without HCT. Not compatible with UPC lifter.		10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	

922	OLYMP	US MINI	
Advertising panels support - 1200x800mm Supports for advertising panels on	2059020	New option.	CE Markets
each side of the body. Panels not included. (1200x800mm).	2033020	ivew option.	CL Warkers
Advertising panels support - 1200x800mm left side Supports for advertising panels on left	2059030	New option.	CE Markets
side of the body. Panel not included. (1200x800mm).		New option.	CE Markets
Preinstallation of POD COMBI system.			
Preinstallation for POD COMBI system. It includes of electrical material and hydraulic modification in front of the body. ONLY with FBU and aubframe	2187020	New option.	<mark>□ UK</mark>
supplied by the client.		3 3 3	
Intercom VISION TECH. Communication system between the cabin and the rear part of the RCV. Intercom brand VISION TECH.	2115020	New option	CE Markets


For further product information, please contact your local Sales Manager

Contact Commercial Team

NEW - Terberg Product Finder app

Discover our range of solutions, now at your fingertips, everywhere

Available now on Google Play and App Store



Find out more

Please help us and and leave a positive rating in app stores for the app.

We would love to increase the number of product reviews in the app, this is where our distributor network can help out.

Please could you open the app and choose 5-10 products (more if you wish) of your choice and leave a product review.

We need a minimum of 3 per product before the app will display a reviews so your reviews are important.

We suggest reviewing the products below, but please feel free to choose your own;

OmniDEL OmniDEKA OmniTRADE
Olympus OmniMAX
OmniGV
Olympus
Olympus Mini
Olympus with Crane
Speedline PPK
Millenium
eCollect
Elite 6
Hot Water Washer

Once we receive notification of your product reviews, we can review and publish them to the app.

The reviews only show your first name in full and an initial for your last name.

25'000th Bin Lift Produced at Terberg Machines

The 25,000th bin lift product recently rolled off the production line in IJsselstein!

A team achievement and milestone for Terberg Machines.



Read More

Global Distributor Support Portal



Used Vehicles & Used Equipment for Sale



Olympus 20W with Terberg OmniMAX mounted to Scania LPG L280 6x2 E6



Olympus 25+ with Terberg OmniDE-X mounted to MAN TGS 26.320 6x2-2 BL



Olympus 21 with Cleanair + OmniDEKA



Front loader Millennium XXL 37 on MAN TGS chassis



Terberg OmniDEKA Bin Lift

Visit our Used Vehicles site

Thank you for being part of our Global Distribution Network











CONTACT US

Email: info@terbergrosroca.com

Phone: +44 (0)1926 458 500

Terberg RosRoca Group Limited, Heathcote Way, Heathcote Industrial Estate, Warwick, CV34 6TE, United Kingdom

You are receiving this email as a valued part of our global distributor network, we assume you have a legitimate interest in the business of Terberg RosRoca Group and that you wish to be kept informed of technical updates, product information, news and other developments.

If you no longer wish to receive information from us, please unsubscribe from our mailing list using the link below.

Sent to: _t.e.s.t_@example.com

Unsubscribe

Terberg RosRoca Group Limited, Heathcote Way, Heathcote Industrial Estate, Warwick, CV34 6TE, United Kingdom

RG Global Technical Bulletin Issue 4	